Day: Friday Date: 7/14/2006

Time: 08:35:33

## PALM INTRANET

## **Inventor Information for 10/767692**

Inventor Name	City	State/Country
GOETZ, STEVEN M.	BROOKLYN CENTER	MINNESOTA
Appin Info Contents Petition	Info Atty/Agent Info Contin	uity/Reexam Foreign
Search Another: Application#	Search or Patent#	Search
PCT //	Search or PG PUBS #	Search
Attorney Docke	t # Search	
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 20060155333 A1	US- PGPUB	20060713	18	Human- implantable- neurostimulator user interface having multiple levels of abstraction	607/2	600/424; 606/129	Goetz; Steven M.
US 20060038701 A1	US- PGPUB	20060223	19	Telemetry module with configurable data layer for use with an implantable medical device	340/870.07		Goetz; Steven et al.
US 20060036186 A1	US- PGPUB	20060216	17	Automated impedance measurement of an implantable medical device	600/547		Goetz; Steven M. et al.
US 20060020292 A1	US- PGPUB	20060126	28	Therapy programming guidance based on stored programming history	607/2	604/890.1	Goetz; Steven M. et al.
US 20060016452 A1	US- PGPUB	20060126	19	Locating an implanted object based on external antenna loading	128/899		Goetz; Steven M. et al.
US 20050061336 A1	US- PGPUB	20050324	18	Apparatus and method for serving medical device application content to a remote computing device	128/899	128/903, 128/904	Goetz, Steven M. et al.
US 20050060010 A1	US- PGPUB	20050317	14	Selection of neurostimulator parameter configurations using neural network	607/48		Goetz, Steven M.
US 20050060009	US- PGPUB	20050317	14	Selection of neurostimulator	607/48		Goetz, Steven

			T				M.
Al	1	l	l	parameter	ı		IVI.
			ŀ	configurations			
				using genetic			
				algorithms			
US	US-	20050317	20	Selection of	607/48		Goetz,
20050060008	PGPUB			neurostimulator			Steven
A1				parameter			<b>M</b> .
				configurations			
				using bayesian		ļ	
	1 1			networks			
US	US-	20050317	17	Selection of	607/48		Goetz,
	PGPUB	20030317	1,	neurostimulator	007710		Steven
20050060007	PGPUB						M.
A1				parameter			171.
				configurations			
				using decision			
				trees			
US	US-	20050106	12	Amplitude	607/60	607/28	Goetz,
20050004628	PGPUB			ramping of			Steven
A1				waveforms			M. et al.
				generated by an			
				implantable			
				medical device			
US	US-	20041230	28	Generation of	607/48		Lee,
20040267330	PGPUB	20041250	20	theraphy	0077.10		Michael
	POPUB	!		programs and			T. et al.
A1		į.		1			1. 00 0
		20041020	01	program groups	607/48		Lee,
US	US-	20041028	21	Identifying	007/48		Michael
20040215288	PGPUB			combinations of			T. et al.
A1				electrodes for			1. et al.
1				neurostimulation			
				therapy			
US	US-	20041028	45	Apparatus and	606/34	606/41	Hoey,
20040215183	PGPUB			method for			Michael
A1				creating,			F. et al.
***				maintaining, and			
				controlling a			•
				virtual electrode			
				used for the			
			[	ablation of tissue			
TIC	TIC	20041007	120		607/48	<del>                                     </del>	Lee,
US	US-	20041007	28		007/40	1	Michael
20040199218	PGPUB		1	management of			T. et al.
A1				neurostimulation			1. 81 21.
				therapy			ľ
				programs			
US	US-	20041007	28	1	607/48		Lee, Michael
20040199217	PGPUB	i		neurostimulation			

A1				therapy using parameter sets			T. et al.
US 20040199216 A1	US- PGPUB	20041007	30	Neurostimulation therapy optimization based on a rated session log	607/48		Lee, Michael T. et al.
US 20040199215 A1	US- PGPUB	20041007	30	Neurostimulation therapy usage diagnostics	607/48		Lee, Michael T. et al.
US 20040098063 A1	US- PGPUB	20040520	19	Human- implantable- neurostimulator user interface having multiple levels of abstraction	607/48		Goetz, Steven M.
US 20040092926 A1	US- PGPUB	20040513	44	Apparatus and method for creating, maintaining, and controlling a virtual electrode used for the ablation of tissue	606/34	606/41; 607/105	Hoey, Michael F. et al.
US 20030176807 A1	US- PGPUB	20030918	17	Automated impedance measurement of an implantable medical device	600/547		Goetz, Steven M. et al.
US 20030174069 A1	US- PGPUB	20030918	22	Telemetry module with configurable physical layer for use with an implantable medical device	340/870.07	600/300	Goetz, Steven M. et al.
US 20030174066 A1	US- PGPUB	20030918	19	Telemetry module with configurable data layer for use with an implantable medical device	340/870.01	340/539.12; 340/573.1; 600/300; 700/90	Goetz, Steven M. et al.
US 20030171789	US- PGPUB	20030911	22	Method and apparatus for	607/60		Malek, Shahram

A1				programming an implantable medical device			et al.
US 20030073989 A1	US- PGPUB	20030417	43	Apparatus and method for creating, maintaining, and controlling a virtual electrode used for the ablation of tissue	606/34	606/31; 606/42; 607/102	Hoey, Michael F. et al.
US 20020151884 A1	US- PGPUB	20021017	43	Apparatus and method for creating, maintaining, and controlling a virtual electrode used for the ablation of tissue	606/34	606/41	Hoey, Michael F. et al.
US 7035690 B2	USPAT	20060425		Human- implantable- neurostimulator user interface having multiple levels of abstraction	607/46	128/897; 349/169; 607/2; 607/59; 607/60	Goetz; Steven M.
US 7023359 B2	USPAT	20060404		Telemetry module with configurable physical layer for use with an implantable medical device	340/870.07	600/523; 607/27; 607/30; 607/32; 607/5; 607/59;	Goetz; Steven M. et al.
US 6985088 B2	USPAT	20060110		Telemetry module with configurable data layer for use with an implantable medical device	340/870.07	600/523; 607/27; 607/30; 607/32; 607/5; 607/59; 607/60	Goetz, Steven M. et al.
US 6978171 B2	USPAT	20051220		Automated impedance measurement of an implantable medical device	600/547		Goetz; Steven M. et al.
US 6849073	USPAT	20050201	45	Apparatus and	606/34	606/41;	Hoey,

B2				method for creating, maintaining, and controlling a virtual electrode used for the ablation of tissue		607/105	Michael F. et al.
US 6736810 B2	USPAT	20040518	45	Apparatus and method for creating, maintaining, and controlling a virtual electrode used for the ablation of tissue	606/34	606/41; 607/105	Hoey; Michael F. et al.
US 6409722 B1	USPAT	20020625		Apparatus and method for creating, maintaining, and controlling a virtual electrode used for the ablation of tissue	606/34	606/41; 607/105	Hoey; Michael F. et al.

.